



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/287,664	04/07/1999	DAVID A. RUSSO	IR3224CREI2	6563
31684	7590	12/10/2007		
ARKEMA INC. PATENT DEPARTMENT - 26TH FLOOR 2000 MARKET STREET PHILADELPHIA, PA 19103-3222			EXAMINER BRUNSMAN, DAVID M	
			ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			12/10/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

12-10-07

In re Application of  
David A. Russo et al.  
Serial No. 09/287,664  
Filed: April 07, 1999

WITHDRAWAL  
FROM ISSUE  
UNDER 37 CFR 1.313(b)

For: **PULSED COATING COMPOSITION FOR GLASS:**

The above-identified application is withdrawn from issue after payment of the issue fee because of unpatentability of one or more claims. See 37 CFR 1.313 (b).

The above-identified application is hereby withdrawn from issue.

The issue fee is refundable upon written request. If, however, the application is again found allowable, the issue fee can be applied toward payment of the issue fee in the amount identified on the new Notice of Allowance and Issue Fee Due upon written request. This request and any balance due must be received on or before the due date noted in the new Notice of Allowance in order to prevent abandonment of the application.

Telephone inquiries should be directed to Jerry Lorengo at 571-272-1233.

The above-identified application is being forwarded to the examiner for prompt appropriate action, including notifying applicant of the new status of this application.

Jacqueline Stone, Director  
Technology Center 1700/2900  
Chemical and Materials Engineering

ARKEMA INC.  
PATENT DEPARTMENT - 26TH FLOOR  
2000 MARKET STREET  
PHILADELPHIA PA 19103-3222